



 Aqua-Hot®

Coleman-Mack

 Suburban

Can

 dicor products

 united shade

 vixen composites

 MCD

 CLEAR VISION
WINDOWS

 ECI
Elkhart Composites, Inc.

 MAXXAIR

 CLEAR VISION
TEMPERED GLASS

GEN 1 D4E ACCESSORIES KIT



A



B

- A: Air Ducting Tube (ØExt-65 mm / ØInt 60 mm) – 2 pcs x 4 m (8m total)
- B: Clamps set for Exhaust (1-black) and Ducting (4-grey)



C

C: Air Intake Tube (1,00m)



E



F

E/F: Exhaust Diesel (0,95m)



G: External Wall Chimney Set

G



- H: Control Panel + Connection Cable (5,7m)
- 12V Supply Cable (4m)
- Temperature Sensor + Cable (4m)
- Screws to fix the Control Panel

H



I: Air Ducting Vent Cover (60mm) – 4 pcs

I



N

- N: Diesel pump with Dumper
- Pump Connection Cable (7m)
- Fuel Extractor
- Blue Fuel Pipe (Tank to Pump) – 1,5 m
- Clear Fuel Pipe (Pump to Heater) – 6,5 m



O

- O: Diesel filter
- Non-Return Check Valve
- Fixation for Diesel Pump
- Fasteners and Couplers for Diesel Line (3,5mm e 4,1mm)
- Other Fasteners



P: Manual Drain/Relief Valve 1/2" PEX

P